

HAND-HELD DRYWALL SANDER


The unique machine is designed especially for low-effort sanding of drywall.

This machine makes the tedious task of sanding drywall much faster and easier. In easy-to-reach areas, it is much lighter and more convenient. It uses a high efficiency dust collection system and sanding mesh discs for dust-free and clog-free sanding. It works perfectly with our purpose-built DE25 vacuum cleaner. The ergonomic bail handle and light weight allow sanding in maximum comfort. The routing of the vacuum hose and cable keep them out of your way. The electronic feedback speed stabilization maintains the speed regardless of the load for a perfect sanding finish. It is the perfect complement to our long-reach sander. The long-reach model can be used for all the hard-to-reach areas, and this machine can easily do the rest.

- The 1200 W motor is equipped with variable full wave feedback electronic speed control for smooth, consistent results. No matter the load, the motor keeps the same even speed.
- Effective and convenient dust extraction system for a healthy and mess-free job.
- Includes a bayonet adaptor end to allow connection to your vacuum cleaner hose.



Bayonet Adaptor End



Plastic Carry Case 572mm x 362mm x 238mm **Part Number** 0299-0075-00100-004



Model	HS225
Power Input	1200W
Voltage	110-120V~ 50-60Hz, 220-240V~ 50-60Hz
No Load min ⁻¹	650 - 1450
Sanding Disc Diameter	225mm
Soft Start	With
Net Weight	3.0 kg (6.6Lbs)

STANDARD ACCESSORIES

- * Plastic Carry Case
- * Bayonet Adaptor End (for connecting to your vacuum hose)

ELECTRIC DRYWALL SANDER

The most efficient possible method of sanding drywall and plaster walls and ceilings. Get the job done many times faster, with less effort and with better results than ever before. All in the comfort of a more dust free work environment.

- With its 4 meter hose with bayonet swivel connection, it's designed to work with a vacuum so there is less dust in the air, less sandpaper clogging and no after-cleanup needed.
- The pivoting sanding head follows the contours of the work to allow a perfect, swirl-free finish.
- The speed is infinitely variable between 650 and 1600 rpm so you can tailor the speed to the work surface for best results.
- The hook and loop backed sandpaper discs and backing pads take only seconds to change.
- Less scaffolding is needed since it can sand most ceilings just standing on the floor.
- The excellent balance and light weight allow you to finish the job without fatigue.



Model	GS9FSE	GS9FE
Power Input	550W	550W
Voltage	110-120V~ 50-60Hz, 220-240V~ 50-60Hz	
No Load min ⁻¹	650 - 1800	650 - 1800
Full Load min ⁻¹	380 - 950	380 - 950
Grinding Disc	ø225 mm (8-7/8 in.)	ø225 mm (8-7/8 in.)
Length	106 cm (42 in.)	154 cm (61 in.)
Soft Start	With	With
Net Weight	3.8 kg (8.4 lbs)	4.7 kg (10 lbs.)

STANDARD ACCESSORIES

- * Vacuum Hose 4M
- * Bail Handle
- * Carry Bag
- * Velcro Strap
- * Overload Protection

OPTIONAL ACCESSORIES

- * Hose Protector

OPTIONAL ACCESSORIES:

■ **225mm Fabric Mesh Dustless Sanding Discs**

Designed specifically for use with our Drywall Sanders for truly dust-free sanding. Anti-clog and very long-lasting. (25 pcs / pack)

9"



Grit	Part Number
#40	305-00183-000-001
#60	305-00183-000-002
#80	305-00183-000-003
#100	305-00183-000-004
#120	305-00183-000-005
#150	305-00183-000-006
#180	305-00183-000-007
#220	305-00183-000-008
#400	305-00183-000-009
#600	305-00183-000-010



Hook & Loop Sponge Pad

Description

Black-White W/ 6 Holes
White-White W/ 6 Holes

Part Number

303-02008-004-001
303-02008-004-002




Vacuum Hose 4M
W/ Bayonet Adaptor

Part Number
0203-0007-00004-001



Bail Handle for GS9FE 0203-0050-00004-001



Velcro Straps
for securing the cable
to the hose

Part Number
305-00150-000-002



Hose Protector 0299-0091-00000-001



Carry Bag for GS9FE
Carry Bag for GS9FSE

Part Number
308-01001-149-003
308-01001-149-008